

## **30 YEAR WARRANTY – VENT Systems Eaves Comb Filler**

Blue Building Solutions Australia Ltd. t/a VENT Systems warrants that VENT Systems Eaves Comb Filler supplied by VENT Systems will retain their mechanical function for a period in excess of 30 years, under natural conditions, from the date of purchase. Provided the Eaves Comb Filler are installed in accordance Design & Specification Guides supplied by VENT Systems.

VENT Systems warrants the VENT Systems Eaves Comb Filler under the following terms & conditions:

- a. This warranty is given to consumers as defined in and who have the rights under Australian Consumer Law and should be read with the statutory consumer guarantees contained in that law.
- b. This warranty will apply to defects appearing within 30 years from the date of purchase & where notification of defects is received in writing within 28 Days of the defect appearing.
- c. Warranties will only be honoured if the VENT System products in question were installed, used and maintained in accordance with VENT System installation guides all of which are available on the VENT Systems website [www.ventsystems.com.au](http://www.ventsystems.com.au)
- d. Warranties will not apply to damage caused by external physical agents, accidental damage or other Force Majeure.
- e. The sole & exclusive remedy with regard to the above warranty is limited to the repair or supply of replacement profiles at VENT Systems discretion

This warranty shall be construed and interpreted in accordance with Australian Law and shall be subject to the jurisdiction of Australian Courts only.

This warranty does not affect the statutory rights of consumers.

# VENT SYSTEMS EAVES COMB FILLER G1275

## DESCRIPTION

The VENT SYSTEMS Eaves Comb Filler G1275 is designed with flexible fingers which adjust to fill the gaps left when using profiled tiles or steel roof cladding. This prevents entry by birds and large insects beneath the tiles.

## FEATURES

- More cost-effective than using purpose-made profiled fillers.
- Allows free-flow of air into the roof cavity, reducing the risk of moisture build-up.
- Profiles to the underside of the roof covering.
- 1m lengths for ease of installation.

## SCOPE OF USE

- Commercial and residential application.
- Suitable for use on all roof types.

## WARRANTY

- 30 years

## MAINTENANCE

- No maintenance requirements.

## SPECIFICATIONS

Colours	Black
Packing details	50 Meters - 50x1 Meter lengths per box
Weight	4g per box
Material	Polyethylene
Manufacturing process	Injection moulded

## VENT SYSTEMS Eaves Comb Filler G1275



## VENT SYSTEMS Eaves Comb Filler G1275 with VENT SYSTEMS Over Fascia Vent G1200N




# VENT SYSTEMS EAVES COMB FILLER G1275



## INSTALLATION

1. The VENT SYSTEMS G1275 Eaves Comb Filler should be nailed or screwed to the top of the fascia board or over-fascia vent through the fixing holes provided along the full length of the eaves and joined where necessary.
2. It can be fixed over a paper support tray if required.

Figure A: VENT System G1200N with VENT Systems Eaves Comb Filler - G1275



The company maintains a policy of continuous development of its product range and reserves the right to amend the specification without notice.

**NOTE:** Diagrams are for guidance purposes only. This is a suggested method of ventilation but the overall design and dimensions are the responsibility of the designer in compliance with the NCC, individual state requirements and AS3959 in bush fire prone areas.